DERUN LIGHTING TECHNOLOGY CO., LTD

Producte Specifications

NANE: Dimmer

MODEL: DR- XDIMMER-1CH-LV (L=5,6,12,24)V



Summarization

Dimmer is a controller that it can adjust brightness infinitely, its control mode is knob-operated control, you could adjust light to the appropriate lighting brightness in accordance with your actual need.

Technical parametersr

• Working temperature: -20-60

• Supply voltage: DC12V

• Output: 1 channel

• External dimension: L89*W59*H35 mm

• Packing size: L96*W64*H65 mm

Net weight: 85gGross weight: 110g


• Static power consumption: <1 W


Output current: <8 APower output: 96 W

Email: info@derunledlights.com


DERUN LIGHTING TECHNOLOGY CO., LTD

External Dimension






Interface Specifications



Adopt male and female connector with screw.



Adopt male and female connector with screw.

www.derunledlights.com

Email: info@derunledlights.com


DERUN LIGHTING TECHNOLOGY CO., LTD

Direction for use

- 1. Connect the load wire at first, following by the power wire; Please ensure short circuit can not occur between connecting wire before you turn on the power;
- 2. Adopt rotary button, its function as follows:

Rotate button to the right, brightness will be brighter, when you rotate it to the far right, the brightness is greatest.

Rotate button to the left,brightness will be darker,when you rotate it to the far left,the light will be turned off.



Email: info@derunledlights.com